


4.0


Professional Cablemanagement

New



Cable-Snake® Flex II

New



Cable-Snake® Cube MX

New




Cable-Snake® Premium Tex

New




E-Cube-M

New



Easy-Connect

New



Easy-Desk-3G, Easy-Steel

New



Easy-Cover & Easy Clip

New




Easy-Bridge



Innovative Solutions for **Demanding** Consumers

Cable-Snake®
Professional Cablemanagement



Made in Germany

We have been supplying professional cable guiding systems for high quality office environments since 1994.

Cable-Snake® cable guiding systems are highly innovative with excellent functionality and professional design. Because of the extensive range of accessories, applications are almost unlimited.

All Cable-Snake® systems are mutually compatible and 100% networkcapable!

We will be happy to advice you!




Cable-Snake® Cube




Cable-Snake® Premium



Cable-Snake® Pro



E-Cube-M Energy Tower



	Cable-Snake® Cube	4
	Outstanding features for ergonomically high quality designed furniture	
NEW	Cable-Snake® Cube MX	6
	Maximum volume with compact dimensions	
	Cable-Snake® Pro	8
	The tread-proof "Cable-Snake®"	
	Cable-Snake® Classic	10
	The classical "Allround-System"	
	Cable-Snake® Flex	12
	The flexible „Cable-Snake®“ with smallest bend radius	
NEW	Cable-Snake® Flex II	14
	Compact - flexible - compatible	
	Cable-Snake® Quadro	16
	The quadratic Snake for heavy duty	
	Cable-Snake® Premium	18
	Energy guidance for demanding office environments	
NEW	Cable-Snake® Premium Tex	20
	Exclusive cable sheath	
NEW	Easy-Bridge	21
	Cable guidance profile - Aluminium	
NEW	E-Cube-K	22
	Energy-tower for back-office workplaces	
NEW	E-Cube M	23
	Mobile energy-tower for highest demands	
	Easy-Outlet	24
	System-connection to floors	
	Easy-Cover	25
	System-connection to ceilings	
	Easy-Clip, Easy-Floor, Easy-Switch	26
	Floor-outlet-adapter, Floor plates, Junction box	
NEW	Easy-Desk-3G, Easy-Rope, Easy-Steel, Easy-Ring, Easy-Glue	27
	Mounting-clips, Tension-rope, Mounting-bar, Glass mounting	
	Easy-Desk-2B, Easy-Stop, Easy-Fix	28
	Desk brackets, Cable-tension-relief, Mounting chain links	
NEW	Easy-Desk-1B, Easy-Desk-1K, Easy-Connect, Easy-Fix-90, Easy-Channel	29
	Desk brackets, Universal joints, Mounting brackets of steel	
	Easy-Duct, Easy-Tape	30
	Cable duct, Velcro mounting	
	Technical Information	31
	Quality guarantee, environmental protection, certification, property rights	

Cable-Snake® Cube

Outstanding features for ergonomically,
high quality designed furniture

Cable-Snake®
Professional Cablemanagement



The Cable-Snake® Cube cable guiding system wins through its clean design and high level of functionality.

The integrated flexible 2D/3D system is designed to unroll automatically and adapt to height adjustable desks.



Cable-Snake® Cube, Easy-Outlet-Switch




Cable-Snake® Cube, Easy-Outlet-I




2D/3D function for ergonomically designed furniture


When pulled apart, the Cable-Snake® Cube system rolls like a caterpillar track. When subjected to side forces, Cable-Snake® Cube stays in the set position. Pushed together the cable chain becomes a closed cable channel.




Easy-Zip
Tool-free installation, like a zipper




Flexible in length
Also useable as closed cable channel




2D/3D capability
Rolling characteristic optimised for ergonomic furniture



Turning-force-stability
Stability due to patented connection



Tread-proof
Tread-proof stretched up to 80 kg
Tread-proof telescoped up to 100 kg



Easy-Switch
Junction box for networks with up to 4 connection points




Easy-Cover
Compatible to Easy-Cover ceiling outlets



Easy-Outlet
Compatible to Easy-Outlet floor outlets



Floor Outlet
Compatible to all common floor outlets



Optional rigid cable channel
Mounting bar with hold adapter to use as rigid cable channel

Cable-Snake® Cube

Outstanding features for ergonomically,
high quality designed furniture

Cable-Snake®
Professional Cablemanagement

Cable-Snake® Cube is equipped with all the innovative functions developed by Q-LAB® since 1994. The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with heightadjustable desks like a caterpillar track.

If certain higher forces are exceeded, the system is fully 3D-mobile and lengthflexible. The integrated memory function keeps the chain in the desired position. Cable-Snake® Cube is tread-proof to a limited extent and can also be used as a closed channel. The system is compatible with Cable-Snake® Cube MX, Pro, Classic, Flex, and Flex II and can also be easily connected with these systems. The high-quality design level with textured surfaces meet the most demanding requirements.

Cable-Snake® Cube is equipped with the Easy Zip system developed by Q-LAB®, whereby cables can be threaded through like a zipper. The stainless steel mounting rod, Easy Steel makes rigid mounting possible such as with desk channels or between adjoining tables. The Easy Rope tension cord can resist traction forces up to 100 kg. (ceiling suspension). Cable-Snake® Cube is about 35% compressible and can optional be laid as a closed channel with or without the Easy Steel mounting rod. It can be made anti-slip on carpets by means of Easy Tape.

Technical Data


Capacity up to about	25 cables
Stretched lengthwise, 34 chain links, approx.	100 cm
Length pushed together, approx.	69 cm
Material	Polypropylen



black RAL 9005



silver RAL 9006



light-grey RAL 7035




white RAL 9003




translucent nature




Made in Germany



Cable-Snake® Cube



Set with floor-plate



Set with floor-outlet-adapter

Cable-Snake® Cube approx. 100 cm (34 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm

approx. 75 cm (25 chain links) for regular desk

approx. 125 cm (42 chain links) for sit-and standing desk

Set with floor-outlet-adapter, desk fixture, 2 screws 4x12mm

approx. 75 cm (25 chain links) for regular desk

approx. 125 cm (42 chain links) for sit-and standing desk

KS-CUB-100 22,50 €

KS-CUB-S1-75 29,90 €

KS-CUB-S1-125 41,90 €

KS-CUB-S2-75 27,90 €

KS-CUB-S2-125 38,90 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors
☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

New!

Cable-Snake® Cube MX


Maximum Volume with compact dimensions

Cable-Snake®
Professional Cablemanagement




The new cable guiding system **Cable-Snake® Cube MX** has the most cable capacity of all **Cable-Snake®** systems of **Q-LAB®**

Cable-Snake® Cube MX is able to guide **up to 40** cables. The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls perfectly with sit-and-standing desks.



Cable-Snake® Cube MX, Easy-Outlet-Switch




Cable-Snake® Cube MX, Easy-Outlet




Cable-Snake® Cube MX, floor-outlet

The system is compatible with Cable-Snake® Cube, Pro Classic, Flex, and Flex II and can be easily connected with these systems.


A wide range of accessories makes the system 100% network compatible and at any time expandable.



Easy-Zip
Tool-free installation, like a zipper




Flexible in length
Also useable as closed cable channel for higher tread resistance




2D/3D capability
Rolling characteristic optimised for ergonomic furniture



Turning-force-stability
Turning force stability due to patented connection



Optional rigid cable channel
Mounting bar with hold adapter to use as rigid cable channel



Easy-Switch
Junction box for networks with up to 4 connection points




Easy-Cover
Compatible to Easy-Cover ceiling-outlets



Easy-Outlet
Compatible to Easy-Outlet floor-outlets



Floor Outlet
Compatible to all common floor-outlets



E-CUBE
Cable-Snake® Systems are compatible zu E-Cube-Energy profiles

Cable-Snake® Cube MX

Maximum Volume with compact dimensions

Cable-Snake®
Professional Cablemanagement


Cable-Snake® Cube MX is equipped with all the innovative functions developed by Q-LAB® since 1994. The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with heightadjustable desks like a caterpillar track.

If certain higher forces are exceeded, the system is fully 3D-mobile and lengthflexible. In addition, the integrated memory function keeps the chain in the desired position. Cable-Snake® Cube MX is tread-proof to a limited extent and can also be used as a closed channel. The system is compatible with Cable-Snake Cube, Pro, Classic, Flex and Flex II and can also be easily connected with these systems. The high-quality design with textured surfaces meet the most demanding requirements.


Cable-Snake® Cube MX is equipped with the Easy-Zip system developed by Q-LAB®, whereby cables can be threaded through like a zipper. The stainless steel mounting rod Easy-Steel makes rigid mounting possible such as with desk channels or between adjoining tables. The Easy Rope tension rope can resist traction forces up to 100 kg (ceiling suspension). Cable-Snake® Cube MX is about 35% compressible and can optional be laid as a closed channel on the floor, with or without the Easy-Steel mounting rod. It can be made anti-slip on carpets by means of velcro-system Easy-Tape.

Technical Data

Capacity up to about	40 cables
Stretched lengthwise, 34 chain links, approx.	100 cm
Length pushed together, approx.	69 cm
Material	Polypropylen



black RAL 9005



silver RAL 9006



light-grey RAL 7035



white RAL 9003




translucent nature



Made in Germany

New



Cable-Snake® Cube MX

Cable-Snake® Cube MX approx. 100 cm (34 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm


approx. 75 cm (25 chain links) for regular desk

approx. 125 cm (42 chain links) for sit-and standing desk


Set with floor-outlet-adapter, desk fixture, 2 screws 4x12mm

approx. 75 cm (25 chain links) for regular desk

approx. 125 cm (42 chain links) for sit-and standing desk



Set with floor-plate



Set with floor-outlet-adapter

KS-CMX-100 24,90 €

KS-CMX-S1-75 31,00 €

KS-CMX-S1-125 44,00 €

KS-CMX-S2-75 28,00 €

KS-CMX-S2-125 41,00 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors
☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

Cable-Snake® Pro

The tread-proof "Cable-Snake®"

Cable-Snake®
Professional Cablemanagement



The cable guiding system **Cable-Snake® Pro** is particularly **tread-proof** and thus particularly suitable for laying in corridor areas with heavy foot traffic.

The tread proof is **80 kg** when stretched and approx. **120 kg** compressed.



Cable-Snake® Pro, Easy-Outlet-Switch




Cable-Snake® Pro, Easy-Outlet-I




Cable-Snake® Pro, E-Cube M


The system is compatible with cable bridge Easy Bridge and with Cable-Snake® Cube, Cube MX, Classic, Flex and Flex II and can be easily connected with these systems. A wide range of accessories makes the system 100% network compatible and expandable at any time.




Easy-Zip
Tool-free installation, like a zipper



Flexible in length
Also useable as closed cable channel for higher tread resistance




2D/3D capability
Rolling characteristic optimised for ergonomic furniture



Turning-force-stability
Turning force stability due to patented connection



Tread-proof
Tread-proof stretched up to 80 kg
Tread-proof telescoped up to 120 kg



Easy-Switch
Junction box for networks with up to 4 connection points



Easy-Cover
Compatible to Easy-Cover ceiling-outlets



Easy-Outlet
Compatible to Easy-Outlet floor-outlets



Floor-Outlet
Compatible to all common floor-outlets



Easy-Bridge
Compatible with Easy-Bridge cable bridge

Cable-Snake® Pro

The tread-proof "Cable-Snake®"

Cable-Snake®
Professional Cablemanagement

The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with height-adjustable desks like a caterpillar track. If certain higher forces are exceeded, the system is fully 3D-mobile and lengthflexible. In addition, the integrated memory function keeps the chain in the desired position.

Cable-Snake® Pro is telescoped and also useable as a closed channel. The high-quality design with textured surfaces meet the most demanding requirements.

Easy-Zip system developed by Q-LAB® cables can be easily threaded through like a zipper.

With the Easy Rope tension cord can resist traction forces up to 100 kg.


The stainless steel mounting rod Easy Steel makes rigid mounting possible such as desk channels or on the floor. The system is compatible with Aluminium-Cable-Bridge Easy Bridge and can be easily connected with these systems. This creates a fully networkable flooringsystem, in which different curves and straight lines are possible. Easy Tape velcros fix this system on carpets

Technical Data

Capacity up to about	30 cables
Stretched lengthwise, 34 chain links, approx.	100 cm
Length pushed together, approx.	70 cm
Compressibility, approx.	35%
Material	Polypropylen




Made in Germany



Cable-Snake® Pro



Set with floor-plate



Set with floor-outlet-adapter

Cable-Snake® Pro approx. 100 cm (34 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm

approx. 75 cm (24 chain links) for regular desk

approx. 125 cm (42 chain links) for sit-and standing desk

Set with floor-outlet-adapter, desk fixture, 2 screws 4x12mm

approx. 75 cm (24 chain links) for regular desk

approx. 125 cm (42 chain links) for sit-and standing desk

KS-PRO-100 24,90 €

KS-PRO-S1-75 31,00 €

KS-PRO-S1-125 44,00 €

KS-PRO-S2-75 28,00 €

KS-PRO-S2-125 41,00 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

☒ secure ☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

Colors

Cable-Snake® Classic

The classical "Allround-System"

Cable-Snake®
Professional Cablemanagement




The Cable-Snake® Classic cable guiding system is the classical "Allround-System".

A wide range of applications and adapters make the system compatible with all connection points.



Cable-Snake® Classic , Easy-Outlet-Switch




Cable-Snake® Classic , Easy-Outlet-I




Cable-Snake® Classic, Easy-Floor-2K

The compact construction with proven 3 chamber system makes for orderly guidance of cables.

An extensive range of accessories and compatibility with our other systems make Cable-Snake® Classic the "Allround-System".




Easy-Zip
Tool-free installation, like a zipper




Flexible in length
Also useable as closed cable channel for higher tread resistance




Wide range of accessories
Compatible with all Cable-Snake® cable management systems



Turning-force-stability
Stability due to patented connection



Tread-proof
Tread-proof stretched up to 75 kg
Tread-proof telescoped up to 90 kg



Easy-Switch
Junction box for networks with up to 4 connection points



Easy-Cover
Compatible to Easy-Cover ceiling-outlets



Easy-Outlet
Compatible to Easy-Outlet floor-outlets



Floor-Outlet
Compatible to all common floor-outlets



Easy-Bridge
Compatible with Easy-Bridge cable bridge

Cable-Snake® Classic

The classical "Allround-System"

Cable-Snake®
Professional Cablemanagement

The Cable-Snake® Classic cable guiding system is particularly compact and universally applicable. The system is limited tread-proof. The extensive accessory range makes the system a classical "Allround-System" for every case of application. The Cable-Snake® Classic can carry up to 20 cables, is flexible lengthwise and with 3 chambers allows separation of data and power cables. The innovative geometry makes "squeeze safe" side branching of individual cables possible at any point. The compact design and the Easy Zip system meet exacting demands. The system is compatible with Easy-Bridge, Cable-Snake® Cube, Cube MX, Pro, Pro Flex and Flex II and can be easily connected with these systems.

The system is suitable for all applications with horizontal and vertical cable runs. Short-term loads of up to 75 kg on 5 chain links at an ambient temperature of 20° are possible in limited foot traffic areas.

Technical Data


Capacity up to about	20 cables
Stretched lengthwise, 46 chain links approx.	100 cm
Length pushed together approx.	72 cm
Material	Polypropylen



black RAL 9005



silver RAL 9006



light-grey RAL 7035





white RAL 9003



translucent nature



Made in Germany



Cable-Snake® Classic

Cable-Snake® Classic approx. 100 cm (46 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm


approx. 75 cm (33 chain links) for regular desk

approx. 125 cm (56 chain links) for sit-and standing desk


Set with floor-outlet-adaptor, desk fixture, 2 screws 4x12mm

approx. 75 cm (33 chain links) for regular desk

approx. 125 cm (56 chain links) for sit-and standing desk



Set with floor-plate



Set with floor-outlet-adaptor

KS-CLA-100 19,90 €

KS-CLA-S1-75 28,00 €

KS-CLA-S1-125 38,00 €

KS-CLA-S2-75 25,00 €

KS-CLA-S2-125 35,00 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

Colors

Cable-Snake® Flex

The flexible "Cable-Snake®" with smallest bend radius

Cable-Snake®
Professional Cablemanagement




The Cable-Snake® Flex cable guiding system wins through greatest flexibility with functional design.

The three separate chambers lead the cables, well laid out and protected, to all relevant connection points.



Cable-Snake® Flex, Easy-Outlet-II




Cable-Snake® Flex, Floor-Outlet




Cable-Snake® Flex, Easy-Floor-2K

Cable-Snake® Flex is the cable guiding system with the **smallest bend radius** and the highest number of chain links per running meter. The distance between chain links is very small whereby increased tread resistance and safety are achieved.



Zip-Stop
Secured cable chambers with "Parental Control"




Flexible in length
Also useable as closed cable channel for higher tread resistance




Wide range of accessories
Compatible with all Cable-Snake® cable guiding systems



Turning-force-stability
Turning force stability due to patented connection



Tread-proof
Tread-proof stretched up to 80 kg
Tread-proof telescoped up to 100 kg



Easy-Switch
Junction box for networks with up to 4 connection points




Easy-Cover
Compatible to Easy-Cover ceiling-outlets



Easy-Outlet
Compatible to Easy-Outlet floor-outlets



Floor-Outlet
Compatible to all common floor-outlets



Easy-Bridge
Compatible with Easy-Bridge cable bridge

Cable-Snake® Flex

The flexible "Cable-Snake®" with smallest bend radius

Cable-Snake®
Professional Cablemanagement

The Cable-Snake® Flex system is free to move in 3 directions and has approx. 25% flexibility lengthwise. The functional design wins through its clear lines and precise angular form with integrated three chamber system for separated guiding of data- and power lines. The Cable-Snake® Flex system is compatible with all regular floor sockets. Extensive accessories make the system compatible and network-capable for different applications.

Cable-Snake® Flex system is compatible with Cable Snake Cube, Cube MX, Pro, Classic and Flex II and can be easily connected with these systems. Using the junction boxes Easy-Switch and Easy-Switch Premium - complex networks can be created.

Cable-Snake® Flex is suitable for horizontal and vertical cable runs and is sufficiently tread-proof for low foot traffic areas. Short-term loads up to 80 kg on 5 chain links.

Technical Data

Capacity up to about	20 cables
Stretched lengthwise, 58 chain links approx.	100 cm
Length pushed together approx.	74 cm
Material	Polypropylen



black RAL 9005



silver RAL 9006



light-grey RAL 7035




white RAL 9003



translucent nature



Made in Germany



Cabel-Snake® Flex

Cable-Snake® Flex approx. 100 cm (58 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm


approx. 75 cm (41 chain links) for regular desk

approx. 125 cm (69 chain links) for sit-and standing desk


Set with floor-outlet-adapter, desk fixture, 2 screws 4x12mm

approx. 75 cm (41 chain links) for regular desk

approx. 125 cm (69 chain links) for sit-and standing desk



Set with floor-plate



Set with floor-outlet-adapter

KS-FLE-100 22,50 €

KS-FLE-S1-75 29,90 €

KS-FLE-S1-125 41,90 €

KS-FLE-S2-75 27,90 €

KS-FLE-S2-125 38,90 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors

☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

New

Cable-Snake® Flex II

Compact - flexible - compatible

Cable-Snake®
Professional Cablemanagement

Cable-Snake® Flex-II is compatible with all parts of the Q-LAB® system .


The original design of 1994 was developed step by step and carefully innovated . Function and capacity were drastically improved. Easy mounting, compact size and the high number of chain links provide maximum **flexibility and function.**



Cable-Snake® Flex II, Easy-Outlet-Switch




Cable-Snake® Flex-II, Easy-Outlet I




Cable-Snake® Flex II, Easy-Floor-2K


Smallest bend radius gives you a perfect rolling effect at height adjustable desks. The individual chain links can be also completely pushed together as a self-locking cable channel and so are closed.




Easy-Zip
Tool-free installation, like a zipper




Flexible in length
Also useable as closed cable channel for higher tread resistance




2D/3D capability
Rolling characteristic optimised for ergonomic furniture



Turning-force-stability
Stability due to patented connection



Tread-proof
Tread-proof stretched up to 70 kg
Tread-proof telescoped up to 90 kg



Easy-Switch
Junction box for networks with up to 4 connection points



Easy-Cover
Compatible to Easy-Cover ceiling-outlets



Easy-Outlet
Compatible to Easy-Outlet floor-outlets



Floor-Outlet
Compatible to all common floor-outlets



Easy-Bridge
Compatible with Easy-Bridge Cable Bridge

Cable-Snake® Flex II

Compact - flexible - compatible

Cable-Snake®
Professional Cablemanagement

The Cable-Snake® Flex system is free to move in 3 directions and has approx. 25% flexibility lengthwise. The functional design wins through its clear lines and precise angular form with integrated two chamber system for separated guiding of data- and power lines.

Cable-Snake® Flex II is equipped with all the innovative functions developed by Q-LAB® since 1994. The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with height-adjustable desks like a caterpillar track. With the application of higher forces, the system is fully 3D mobile. The integrated memory function keeps the chain in the desired position. Cable-Snake® Flex II is tread-proof to a limited extent and can also be used as a closed channel.

The system is compatible with Cable-Snake® Cube, Cube MX, Pro, Classic and Flex and can be easily connected with these systems. The high-quality design with textured surfaces meets the most demanding requirements.

The Cable-Snake® Flex II system is compatible with all regular floor-outlets. A wide range of accessories make the system compatible and network-capable for different applications. Cable-Snake® Flex II is suitable for horizontal and vertical cable guidance and is sufficiently tread-proof for low foot traffic areas. Short-term loads of up to 70 kg on 5 chain links at an ambient temperature of 20° are possible.

Technical Data

Capacity up to about	20 cables
Stretched lengthwise, 54 chain links, approx.	100 cm
Length pushed together approx.	74 cm
Material	Polypropylen



black RAL 9005



silver RAL 9006



light-grey RAL 7035



white RAL 9003





translucent nature



Made in Germany

New



Cable-Snake® Flex II

Cable-Snake® Flex II approx. 100 cm (54 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm


approx. 75 cm (38 chain links) for regular desk

approx. 125 cm (65 chain links) for sit-and standing desk


Set with floor-outlet-adapter, desk fixture, 2 screws 4x12mm

approx. 75 cm (38 chain links) for regular desk

approx. 125 cm (65 chain links) for sit-and standing desk



Set with floor-plate



Set with floor-outlet-adapter

KS-FLE II-100 22,50 €

KS-FLE II-S1-75 29,90 €

KS-FLE II-S1-125 41,90 €

KS-FLE II-S2-75 27,90 €

KS-FLE II-S2-125 38,90 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors
☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

Cable-Snake® Quadro

The quadratic Snake for heavy duty

Cable-Snake®
Professional Cablemanagement



The cable guiding system **Cable-Snake® Quadro** is the cross section quadratic **Cable-Snake®**.

The timeless design impresses with clear lines and functional design language.


The **Zip-stop-system** impedes the unintended removal of cables and offers in public areas an intended increased protection of the cables.



Cable-Snake® Quadro



Cable-Snake® Quadro, Easy Outlet-I




Cable-Snake® Quadro, Easy-Floor-Quadro


The cable guiding system **Cable-Snake® Quadro** is very traction stable and can therefore be used for the installation on ceilings. New Sets with massive floor plates have been optimized and are now also compatible to floor-outlets.



Zip-Stop
Secured cable chambers with "Parental Control"




Traction Stable
Transmission of traction up to 5 kg at ceiling suspension



„Bio-plastic“
Bio-plastics on request.
Color white-natural.




„Bio-plastic“
Bio-plastics on request.
Color „light-wood“.



„Bio-plastic“
Bio-plastics on request.
Color „dark-wood“


Easy-Tape
Anti-slip and detachable attachment systems




Easy-Cover
Compatible to Easy-Cover ceiling-outlets




Easy-Outlet
Compatible to Easy-Outlet floor outlets



Floor Outlets
Compatible to all common floor outlets



Compatible
Compatible to Cable-Snake® Premium and Premium Tex



Cable-Snake® Quadro

The quadratic Snake for heavy duty




Cable-Snake®
Professional Cablemanagement

Cable-Snake® Quadro is ideal for the electrification of single workstations for regular tables. The system is very traction stable and ideal for suspensions from the ceiling. The classical-functional design wins through its clear lines and precise quadratic form with integrated two chamber system for separation of data and power lines. Accessories make the system compatible for different applications and network capability. Cable-Snake® Quadro is compatible with Cable-Snake® Premium and Premium Tex.

The cable chambers integrated **Zip-stop system** prevents the unintended removal of installed cables especially in public areas.

Technical Data


Capacity up to approx.	40 cables
Stretched lengthwise, 32 chain links, approx.	100 cm
Material	Polypropylen



Cable-Snake® Quadro

Set with floor-plate

Set with floor-plate



Cable-Snake® Quadro approx. 100 cm (32 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm

approx. 75 cm (23 chain links) for regular desk

approx. 125 cm (39 chain links) for sit-and-standing desk

The Set with floor-plate is also suitable for connections to floor-outlets

KS-QUA-100 24,90 €

KS-QUA-S1-75 31,00 €

KS-QUA-S1-125 44,00 €

compatible with Cable-Snake

☐ Cube ☐ Cube MX ☐ Pro ☐ Classic ☐ Flex ☐ Flex II ☒ Quadro ☒ Premium

Colors
☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

Cable-Snake® Premium

Energy guidance for demanding office environments

Cable-Snake®
Professional Cablemanagement



The Cable-Snake® Premium was especially developed for high-class office furniture.

The narrow aspect in combination with a high quality textured surface stresses the high level design requirements.



Ceiling suspension, Connection to E-Cube




Cable-Snake® Premium, Easy-Floor-Premium




Cable-Snake® Premium, Easy-Outlet-Premium


All accessories, despite their fine design are of an extremely "massive" quality and will have a long life. All Q-LAB® developed innovations unite in this system. The chain links can be pushed together into a self locking elliptical cablechannel.




Easy-Zip
Tool-free installation, like a zipper




Flexible in length
Also useable as closed cable channel for higher tread resistance



2D/3D capability
Rolling characteristic optimised for ergonomic furniture



Easy-Rope
Tension cord for resisting traction forces up to 100 kg



Optional rigid cable channel
Mounting bar with hold adapter to use as rigid cable channel


Easy-Switch Premium
Junction box for networks with up to 4 connection points




Easy-Cover
Compatible to Easy-Cover ceiling-outlets



Easy-Outlet
Compatible to Easy-Outlet floor-outlets



Floor-Outlets
Compatible to all common floor-outlets



Compatible
Compatible to Cable-Snake® Premium Tex and Quadro



Cable-Snake® Premium

Energy guidance for demanding office environments

Cable-Snake®
Professional Cablemanagement

Cable management system Cable-Snake® Premium meets the highest design standards with maximum functionality. The elliptical shape offers clear lines and high-quality textured surfaces.

Cable-Snake® Premium is equipped with all the innovative functions developed by Q-LAB® since 1994.

The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with height-adjustable desks like a caterpillar track. 2 chamber system for separation of data and power cables.

The system is compatible with Cable-Snake® Premium Tex and Quadro and can be easily connected with these systems. The Easy Rope tension cord can resist traction forces up to 100 kg. The stainless steel mounting rod, Easy Steel makes

rigid mounting possible such as with desk channels

The Cable-Snake® Premium system is compatible with all regular floor-outlets. A wide range of accessories makes the system network-capable.

Technical Data

Capacity up to about	40 cables
Stretched lengthwise, 22 chain links, approx.	100 cm
Length pushed together approx.	78 cm
Material	Polypropylen



black RAL 9005



silver RAL 9006



light-grey RAL 7035




white RAL 9003




translucent nature



Made in Germany




Cable-Snake® Premium.



Set with floor-plate



Set with floor-plate



Cable-Snake® Premium approx. 100 cm (22 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm

approx. 75 cm (16 chain links) for regular desk

approx. 125 cm (27 chain links) for sit-and standing desk

The Set with floor-plate is also suitable for connections to floor-outlets

KS-PRE-100 29,90 €

KS-PRE-S1-75 32,00 €

KS-PRE-S1-125 47,00 €

compatible with Cable-Snake

☐ Cube ☐ Cube MX ☐ Pro ☐ Classic ☐ Flex ☐ Flex II ☒ Quadro ☒ Premium

Colors
☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

New

Cable-Snake® Premium Tex

Exclusive cable-sheath

Cable-Snake®
Professional Cablemanagement



Cable-Snake® Premium Tex "cobra"



Cable-Snake® Premium Tex "rosso"



Cable-Snake® Premium Tex "black"

Cable-Snake® Premium Tex is the high-quality solution for users who want to completely en-case cables.

The system will be produced according to your requirements from your desired material. Adequate to the individual furniture line, we use high quality leather, alcantara and fabrics according to your requests.

Variants with velcro, zipper and buttons are producible. In the end-segments of each Premium Tex a removable chain link of Cable-Snake® Premium (via velcro system) is integrated.

Thereby cables can be installed at any time quickly and neatly. All accessories of Cable-Snake® Quadro and Premium can be combined with this system forming the first networkable "cable tube".



Premium Tex mounting-set "silver"



Premium Tex complete-set "alkantara black"



Premium Tex complete-set "velours black"

Cable-Snake® Premium Tex mounting-set without sheath

2 chain links Cable-Snake® Premium with high strength 3M-velcro-sheath, desk fixture Easy-Desk-1B including fixing screw 4x12 mm, floor-plate Easy-Floor Premium 2x hook-tape to sew in

KS-PRE-TEX-S1 on request

Cable-Snake® Premium Tex mounting-set with sheath

Complete-set with high quality textile cable-sheath in "alkantara-" or "velours-look". Zipper YKK. Length without accessories approx. 70 cm. Length incl. desk-connection and floor plate approx. 75 cm.

KS-PRE-TEX-S2 on request

compatible with Cable-Snake

☐ Cube ☐ Cube MX ☐ Pro ☐ Classic ☐ Flex ☐ Flex II ☒ Quadro ☒ Premium

☒ Fabrics, Colors and length on customer request

Colors

New

Easy-Bridge

Cable guidance profile - Aluminium

Cable-Snake®
Professional Cablemanagement

The aluminum cable bridge Easy-Bridge is suitable for extreme loads.

Easy-Bridge cable bridges are tread-proof and ideal for installation in busy foot-traffic areas. The system is compatible with Cable-Snake® Cube, Pro, Classic, Flex and Flex II and can be easily connected with these systems.

Curves with different radii and lengths are made by Cable-Snake® cable-chains. By using individual links of the Cable-Snake® Pro, any distance extension can be bridged without sawing off any profiles.

Multiple Easy-Bridge cable bridges can be connected together without using any tools. Easy Bridge is fixed on carpets with preassembled velcro system or with 3M double-adhesive tape - anti slip - on smooth floors.




Easy-Bridge with Cable-Snake® Pro



Easy-Bridge, swingable Cable Protection




Easy-Bridge System-Modules




Hook tape Double-adhesive tape



Easy-Bridge simple connected



Easy-Bridge. optional with closure strips



Easy-Bridge Cable-bridge. Anodized Aluminium. Delivery including mounted swingable connection joint. Color of the connection joint according customer requirements. Closure strips optional.

Easy-Bridge-H-50 with 50 cm mounted hook-tape

E-BRI-H-50 29,95 €

Easy-Bridge-D-50 with 50 cm mounted double-adhesive-tape

E-BRI-D-50 29,95 €

Easy-Bridge-H-100 with 100 cm mounted hook-tape

E-BRI-H-100 39,95 €

Easy-Bridge-D-100 with 100 cm mounted double-adhesive-tape

E-BRI-D-100 39,95 €

Easy-Bridge-closure strips for 2 slots a 50cm=2x50 cm

E-BRI-V-50 9,95 €

Easy-Bridge-closure strips for 2 slots a 100 cm=2x100 cm

E-BRI-V-100 19,95 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors

☒ Aluminium anodized, Coupling element colored

New

E-Cube-K

Energy-tower for back-office workplaces

Cable-Snake®
Professional Cablemanagement



The energy tower E-Cube-K enables a flexible decentralised power- and data technology supply for workplaces.

Up to 2x4 sockets, chargers, network technology and excess cables are neatly stored in the E-Cube-K.
E-Cube-K is the economically priced energy-tower for back offices and is slip resistant on carpets.
E-Cube-K can be connected to all standard floor-outlets, cable-channels and ceiling-outlets.



E-Cube-K-540-Point



E-Cube-K-540-II



E-Cube-K-720-Move

E-Cube-K is compatible to all Cable-Snake®-systems and to cable bridge Easy-Bridge.

Select your E-Cube-K with up to 2x4 sockets inside and the variable sockets in the lid.



203 x 203 mm



240 x 240 mm



Slip resistant plates on carpets



1x 4-fold Socket 2x 4-fold socket



Telescope outlet Move Point

E-Cube-K-540 Casing box E-Cube-K-720 Casing box

Netbox M4 diagonal 4x 230V
Netbox-Point 2x 230 V and 2x RJ45 KAT6 Genderchanger
Netbox-Move 3x 230 V
Cable 1m, 3m or 6 m

Easy-Cover or telescope outlet in the lid. Socket outlet on request.

E-CUBE-K-540	150,00 €
E-CUBE-K-720	200,00 €
Netbox-M4	on request
Netbox-Point	on request
Netbox-Move	on request
Connection cable	on request

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☒ Quadro ☒ Premium

Colors

☒ Aluminium anodized lid and floor plastic black

New

E-Cube-M

Mobile energy-tower for highest demands

Cable-Snake®
Professional Cablemanagement

E-Cube-M is the high-quality mobile data- and power supply for congress, lecture, conference and executive offices.

If you would like to remove the speaker's desk and the matching IT technology fast, for example, after a lecture, simply move E-Cube-M with its attached Cable-Snake® into the next room and you can start the buffet immediately.




The cubic clear design of E-Cube-M convinces through the massive all-metal design made of 100% aluminum with high quality anodized surfaces.

Fixed, fold-out or extendible sockets in the lid solve every task immediately.



E-Cube-M-540-Axial



E-Cube-M-540-Point



E-Cube-M-540-Point



Alu base Metal-spheric rolls



1x 4-fold socket 2x 4-fold socket



Axial Move Point



205 x 205 mm

E-Cube-M-540 Casing box

E-Cube-M-720 Casing box

Netbox M4 diagonal 4x 230V

Netbox-Point 2x 230 V and 2x RJ45 KAT6 Genderchanger

Netbox-Move 3x 230 V

Netbox-Axial 1x 230V and 2x RJ45 KAT6 Genderchanger

Cable 1m, 3m or 6 m

Easy-Cover or telescope outlet in the lid. Socket outlet on request

E-CUBE-M-540

on request

E-CUBE-M-720

on request

Netbox-M4

on request

Netbox-Point

on request

Netbox-Move

on request

Netbox-Axial

on request

Connection cable

on request

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☒ Quadro ☒ Premium

Colors

☒ Aluminium anodized lid and floor massive Aluminium.

Easy-Outlet

System-connection to floors


Cable-Snake®
Professional Cablemanagement



Easy-Outlet-TA closed



Easy-Outlet-TA extended




Easy-Outlet-Switch with up to 3 connections



Easy-Outlet-I connection 1x Cable-Snake®



Easy-Outlet-II connection 2x Cable-Snake®




Easy-Outlet-Premium, Cable-Snake® Premium



Easy-Outlet-M-B stainless steel radial rotary-structure



Easy-Outlet-M-B stainless steel glass-bead-blasted



Easy-Outlet-M-I stainless steel & Polypropylen

The Easy-Outlet series solves any task regarding flooroutlets.

Q LAB® floor outlets can be installed afterwards at any time by drilling a hole in the raised floor.


Place the floor-outlet exactly where you need it.

Choose between the telescope outlet Easy-Outlet-TA, the triple outlet Easy-Outlet-Switch as well the Easy-Outlet-I, -II, -Premium and Quadro to the vertical connection of the Cable-Snake® cable-guide-systems.


Easy-Outlet-Metal

The high-quality steel versions Easy-Outlet-M were developed for entrance halls and representative rooms.


Easy-Outlet M is available in different surfaces, matt and glossy with a radial-twist-structure.




Easy-Outlet-TA for guiding single cables




Easy-Outlet-I, Connection 1x Cable-Snake®



Easy-Outlet-Quadro



Easy-Outlet-Switch



Easy-Outlet-TA Telescope outlet (without connection Cable-Snake®)

Easy-Outlet-I for 1x Cube, Cube MX, Pro, Classic, Flex, Flex II

Easy-Outlet-II Connection for 2x Cube, Pro, Classic, Flex, Flex II

Easy-Outlet-Quadro Connection for 1x Cable-Snake® Quadro

Easy-Outlet-Premium Connection for 1x Cable-Snake® Premium

Easy-Outlet-Switch Connection for 3x Cube, Pro, Classic, Flex, Flex II

Easy-Outlet only socket-outlet without lid

E-OUT-TA 49,95 €

E-OUT-I 49,95 €

E-OUT-II 49,95 €

E-OUT-QUA 49,95 €

E-OUT-PRE 49,95 €

E-OUT-SWI 69,95 €

E-OUT 29,95 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☒ Quadro ☒ Premium

☒ black ☒ silver ☒ light-grey ☒ white ☐ translucent

Colors

Easy-Cover

System-connection to ceilings

Cable-Snake®
Professional Cablemanagement


Ceiling outlet with force-induction into the plasterboard ceiling.

For connecting a Cable-Snake® cable chain to a plasterboard ceiling the stable "POM version" of Easy-Cover is used. Minor forces are transmitted directly into the suspended ceiling, whose loading capacity has to be checked. The slot to insert the cable can be closed by inserts.


The elastic clamps on the back, fix the Easy-Cover in drilling depths from 1 mm to 30 mm.

Depending on the version up to 2x Cable-Snake® Cube, Pro, Classic, Flex, Flex II, 1x Cube MX, Premium or Quadro are connectable.


Thickness suspended ceiling
1 mm to 30 mm.




Mounting on plasterboard-ceiling




2x Cable-Snake® Cube, Easy-Cover-II




Application of force at plasterboard-ceiling up to 30 mm



Mounting with tension rope on raw-ceiling



Mounting 2x KS Cube on raw-ceiling



Easy-Cover without application of force into the ceiling

Ceiling outlet with force-introduction into the raw ceiling.

Pulling forces acting on the Cable-Snake® using the pull rope Easy-Rope transfer directly into the raw-ceiling. Corresponding dowels are embedded in the concrete ceiling and connected to the tension-rope.

On the tension-rope between the links of the Cable-Snake® at a distance of about 50 cm, collars Easy-Ring are installed and the power is transferred from the cable chain to the tension-rope and into the raw-ceiling.

By separating the catchpins at the predetermined breaking points, Easy-Cover is used as a "purely cosmetic cover" (PP-version).

An overload of the suspended ceiling is impossible.

Thickness suspended ceiling:
1 mm to „endless“.



Easy-Cover-I




Easy-Cover-II



Easy-Cover-Quadro



Easy-Cover-Premium



Easy-Cover-B

Easy-Cover-B Blankcover, Polypropylen white

Easy-Cover-I Connection 1x Cube, Cube MX, Pro, Classic, Flex, Flex II

Easy-Cover-II Connection 2x Cube, Pro, Classic, Flex, Flex II

Easy-Cover-Quadro Connection 1x Cable-Snake® Quadro

Easy-Cover-Premium Connection 1x Cable-Snake® Premium

Material: PP at mounting on a raw-ceiling. POM white for friction-locked mounting on a plasterboard-ceiling.

E-COV-B 19,95 €

E-COV-I 19,95 €

E-COV-II 19,95 €

E-COV-QUA 19,95 €


E-COV-PRE 19,95 €

compatible with Cable-Snake


☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☒ Quadro ☒ Premium

Colors
☒ black ☒ silver ☒ light-grey ☒ white ☐ translucent


Easy-Clip



Easy-Clip simply insert into the cable-outlet



Perfect, flexible and safe connection



Compatible to all common floor-outlets

Easy-Clip

Flexible floor-outlet-adapter compatible to all common floor-outlets.

With the achievement of higher forces, for example by kicking, the clip releases without any defect out of the floor-outlet and can easily remounted.

Easy-Clip-S, L=86mm, B=47mm for KS Classic, Flex, Flex II

E-CLI-S

6,95 €

Easy-Clip-L, L=91,5mm, B=51mm for KS Cube, Cube MX, Pro

E-CLI-L



6,95 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors ☒ black ☒ silver ☐ light-grey ☐ white ☐ translucent

Easy-Floor



2K

☒ Cube MX ☒ Flex II ☒ Cube ☒ Pro ☒ Classic ☒ Flex

Easy-Floor-2K

Easy-Floor-2K Floor plate steel-powder-coated 130x130 mm. Weight: approx. 350 gr. incl. 4 Bumpons.

Easy-Floor-1K B Floor plate steel-powder-coated 130x130 mm. Weight: approx. 350 gr. incl. 4 Bumpons.

Easy-Floor-Premium for Cable-Snake® Premium. 5 Bumpons & 1 screw 6 x 70 mm. Steel-powder-coated Ø=150 mm. approx. 310 gr.

Color floor-plate: black, silver-grey, white. Color adapter: black, silver, light-grey, white, translucent

Easy-Floor floor-plates are compatible to numerous floor-outlets.

1K

☒ Quadro

Easy-Floor-1K



☒ Premium

Easy-Floor-Premium

E-FLO-2K

9,95 €

E-FLO-1K

9,95 €

E-FLO-PRE


9,95 €

compatible with Cable-Snake


☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☒ Quadro ☒ Premium

Colors ☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent


Easy-Switch



Easy-Switch junction-box with 2x Easy-Cap



Easy-Switch-4K with 4 coupling links Cube



Easy-Switch-Premium with floor-plate

Easy-Switch for Cable-Snake® Cube, Classic, Flex, Flex-II.

E-SWI

19,95 €

Easy-Switch-4K for Cable-Snake® Pro und Cube MX. incl. 4 coupling links Cable-Snake® Cube.

E-SWI-4K

22,95 €

Easy-Switch-Premium for Cable-Snake® Premium incl. floor-plate, screw and 4 coupling links Cable-Snake® Cube.

E-SWI-PRE

39,95 €

Easy-Cap Dummy-cap for not used connections. (also in silver!)

E-CAP

3,95 €

Please order Easy-Cap dummy-caps if required!



compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☒ Premium

Colors ☒ black ☐ silver ☒ light-grey ☒ white ☐ translucent

Easy-Desk-3G


New



Under desk mounting as rigid cable channel I



Flexible and rigid mounting



Easy-Desk-3G, Easy-Steel, Cable-Snake® Cube

Easy-Desk-3G

Mounting-clip with catchpins for all Cable-Snakes® with 2 plug-appliances incl. 2 mounting-screws 4 x12 mm. Flexible mounting without mounting-bar. Rigid mounting with mounting-bar.

Please order Easy-Steel and Easy-Ring if required!

E-DESK-3G


4,95 €

compatible with Cable-Snake


☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors ☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent


Easy-Rope, Easy-Steel, Easy-Ring



Ceiling-suspension with Easy-Rope & Easy-Ring



Ceiling-suspension with Easy-Rope & Easy-Ring



Easy-Steel for rigid mounting

Easy-Rope Steel-rope with transparent plastic coating. $\varnothing = 3$ mm. Price per running meter. Depending on application up to 100 kg traction-force possible.

E-ROPE

6,95 €

Easy-Steel Mounting-bar V2A. $\varnothing = 5$ mm, Length = 750 mm. Depending on application up to 100 kg traction-force possible.

E-STEEL

7,95 €

Easy-Ring Adjustment-ring for tension-rope and mounting-bar with adjustment-screw.

E-RING

2,95 €



Steel nickel-plated. Outside: $\varnothing = 10$ mm, Inside: $\varnothing = 5$ mm, Height=6 mm

compatible with Cable-Snake


☒ Cube ☒ Cube MX ☒ Pro ☐ Classic ☐ Flex ☒ Flex II ☐ Quadro ☒ Premium

Colors ☐ black ☒ silver ☐ light-grey ☐ white ☐ translucent

Easy-Glue



Easy-Glue, Easy-Steel, Easy-Ring, Glass-table



Easy-Glue, Easy-Steel glass-table mounting



Easy-Glue, Easy-Steel glass-mounting

Easy-Glue

Stainless steel glass-mounting with radial twist-structure and high strength 3M-glue dot. Suitable for permanent bonding on glass, smooth surfaces, stone, wood, metal surfaces and (glass-) facades.

Please order Easy-Steel and Easy-Ring if required!

E-GLUE



29,95 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☐ Classic ☐ Flex ☒ Flex II ☐ Quadro ☒ Premium

Colors ☐ black ☒ silver ☐ light-grey ☐ white ☐ translucent

Easy-Desk-2B



Easy-Desk-2B

Easy-Desk-2B vertical mounting on furniture

Clip fixation of tension rope Easy-Rope

Easy-Desk-2B

Adapter for vertical mounting on furniture. Material: Polypropylen. Fine eroded surface. Incl. 2 screws: 4 x 12 mm. By using the tension-rope traction forces are transmitted safely into the table due to the patented clamping device of the adapter. Easy-Desk-2B is combinable with Easy-Stop, Easy-Steel, Easy-Rope and Easy-Connect.

E-DESK-2B

4,95 €




compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors

☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

Easy-Stop



Easy-Stop with Easy-Desk-2B

Under-desk mounting

Easy-Stop strain relief up to 16 cables

Easy-Stop

Strain relief chain link for up to 16 cables. Fits up to 4x VGA or 4x power lines, 4x network, 4x Phone, 4x ribbon cable. Strain relief incl. clamping screws (3 parts). Integrated mounting device for Easy-Ring for fixation of tension rope Easy-Rope. Easy-Stop is combinable with Easy-Desk-2B, Easy-Steel, Easy-Rope, Easy-Ring and Easy-Connect.

E-STOP

7,95 €





compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

Colors

☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

Easy-Fix



Suitable for bridging of cable channels

Easy-Fix-Pro with mounting bar Easy-Steel

Easy-Fix fixing-chain-links

Easy-Fix Chain link with mounting holes $\varnothing=4$ mm.

Easy-Fix-Cube Hole spacing A = 30 mm

Easy-Fix-Cube MX Hole spacing A = 40 mm

Easy-Fix-Pro Hole spacing A = 44 mm

Easy-Fix-Classic 1 Hole in center

Easy-Fix-Flex Hole spacing A = 35 mm

Easy-Fix-Flex-II Hole spacing A = 30 mm

Easy-Fix-Quadro Hole spacing A = 25 mm

E-FIX-CUB 3,95 €

E-FIX-CMX 3,95 €

E-FIX-PRO 3,95 €

E-FIX-CLA 3,95 €

E-FIX-FLE 3,95 €

E-FIX-FLE-II 3,95 €

E-FIX-QUA 3,95 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☒ Quadro ☐ Premium

Colors

☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent


Easy-Desk-1B, Easy-Desk-1K




Easy-Desk-1B
Ø=19 x 20 mm




Easy-Desk-1K



Easy-Desk-1B



Easy-Desk-1K



Easy-Desk-1B

Desk fixture with hole for Cable-Snake® Quadro und Premium.
Including screw: 4x12 mm

Easy-Desk-1K

Desk fixture with spherical-head for Cable-Snake® Quadro und Premium.
inkl. 2 screws: 4 x 12 mm

E-DESK-1B

4,95 €

E-DESK-1K

4,95 €




compatible with Cable-Snake

☐ Cube ☐ Cube MX ☐ Pro ☐ Classic ☐ Flex ☐ Flex II ☒ Quadro ☒ Premium


☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent

Colors


Easy-Connect



Easy-Connect, Cable-Snake® Cube



Easy-Desk-3G, Easy-Connect, Easy-Steel



Easy-Cover-I, Easy-Connect, Cable-Snake®

Easy-Connect

The universal socket Easy-Connect enables the direction-independent connection of almost all Cable-Snake® system-components when they are placed back to back. Easy-Connect is compatible with all flat Cable-Snake® cable-chains and with accessories which have 2 plug-appliances. The middle whole with Ø=5 mm helps to guide the mounting-bar Easy-Steel, the tensionrope Easy-Rope and for fixation with a screw.

E-CON

4,95 €

compatible with Cable-Snake


☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☐ Premium

☒ black ☒ silver ☒ light-grey ☒ white ☒ translucent


Colors

New

Easy-Fix-90, Easy-Channel




Easy-Fix90-S on furniture edges



Easy-Fix-90-L for Evoline Port



Easy-Channel for table-cable channel



Easy-Fix Mounting-bracket steel,coated.

Easy-Fix-90-S Bracket for vertical mounting.

Easy-Fix-90-L Bracket for connection to Evoline-Port.

Easy-Channel Bracket for connection on desk-cable-channel.

E-FIX-90-S

9,95 €

E-FIX-90-L

11,95 €

E-CHA

9,95 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☐ Quadro ☒ Premium

☒ black ☒ silver ☐ light-grey ☐ white ☐ translucent

Colors

Easy-Duct




Easy-Duct stainless steel optic



Easy-Duct black



Easy-Duct silver



Easy-Duct Metal cable duct for furniture
Stainless steel optic $\text{ØD}=66,0$ $H=1,3$ $L=22,0$ $\text{Ød}=59,0+1$

E-DUCT-60M22-V2A 19,95 €

Easy-Duct Plastic cable duct for furniture
black, $\text{ØD}=67,8$ $H=2,0$ $L=16,0$ $\text{Ød}=60,0$
silver, $\text{ØD}=67,8$ $H=2,0$ $L=22,0$ $\text{Ød}=60,0$

E-DUCT-60K16-sz 6,95 €

E-DUCT-60K22-si 9,95 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☒ Quadro ☒ Premium

Colors


☒ black ☒ silver ☒ light-grey ☒ white ☒ stainless steel

Easy-Tape




Easy-Tape-H

Easy-Tape-D



Easy-Tape-H & Easy-Tape-S solvable fixation



Easy-Tape-H for slip on safety on carpet



Punch piece fixing Cable-Snake® on socket



Easy-Tape. B=25 mm.

Easy-Tape-H self adhesive 3M-velcro strip for fixation on carpet.

E-TAPE-H-25 10,95 €

Easy-Tape-S self adhesive 3M-loop strap for detachable "bonding"

E-TAPE-S-25 10,95 €

Easy-Tape-S only together with velcro strip for detachable fixation.

=> Please order same quantity of velcro strip! Running meter. B=25 mm.

Easy-Tape-HS-50/16 Self adhesive double-punch piece H&S for detachable velcro mounting of single Cable-Snake®-links. 16x50 mm.

E-TAPE-ST-50x16 3,95 €

Easy-Tape-D 3M-Double-sided-tape. Width 15 mm. Price per running meter.

E-TAPE-DK-10 4,95 €

compatible with Cable-Snake

☒ Cube ☒ Cube MX ☒ Pro ☒ Classic ☒ Flex ☒ Flex II ☒ Quadro ☒ Premium

Colors

☒ black ☐ silver ☐ light-grey ☐ white ☐ translucent



Guarantee of quality

We guarantee the highest quality to the latest technical standards. There is a 2 year guarantee on all appropriate mounted Cable-Snake® installation systems in office environments.

Environmental protection

We exclusively use high quality polymers which are free of toxins according to the EU guidelines 2002/95 RG. All materials are free of PAK and Fluorine. All materials are 100% recyclable. Our certifications and accreditations can be downloaded at www.Q-LAB.de.

Certification

Our production plant is certified according to DIN-ISO-9001. You will find our current certificates at www.Q-LAB.de.

National and international property rights

Patents and patent applications (DE, EU)	DE 4428680, DE 19738716, DE 19963118, DE 19963119, DE 102006030086, DE 102006030426, DE 102007038577, DE 102007038608, DE 102008014382, DE 102007038577, DE 102009029957, DE 102010026553, DE 102010007581, DE 102010007580, DE 102011011639, DE 102011108848, DE 102011108849, DE 102012005534, DE 102012006945, DE 102012010454, DE 102012015546, EP 12155680
Utility patents (DE)	DE 20320850, DE 20320849, DE 20317827, DE 202004011695
Registered designs (DE)	DE 40307490, DE 40700743
Registered designs (EU)	CD 001554288, CD 001900507, CD 001970484, CD 001979352, CD 002102012
Trade Marks (DE, EU)	DE 30140018, CMT 010411833, CMT 010411841, CMT 008621146, CMT 11000718

Cable-Snake® is a registered trademark of the company Q-LAB®.

Cable-Snake® and Q-LAB® are registered trademarks of the company Q-LAB®.

All rights Q-LAB®.

Changes, errors and misprints are reserved.

Reproduction, also as a print-out, only with the written approval of the company Q-LAB®.

© 1994-2013

Cable-Snake.com



Cable-Snake®
Professional Cablemanagement

Q-LAB® Bachstrasse 17 D-83209 Prien
phone: +49 (0) 8051 96672-90 fax: -97
www.Q-LAB.de E-mail: 1@Q-LAB.de